


**Figure 2-9. Acenaphthene (ACENAPHTHEN, 83-32-9)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
4952	Sewerage systems	73,734.55	x	x	x	x					
-----	Residential wood combustion	50,139.44	x	x	x	x		x	x		x
-----	Other Sources**	23,804.42									


Total Estimated Emissions: 147,678 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-10. Acenaphthylene (ACENAPHTHYL, 208-96-8)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
-----	Residential wood combustion	785,386.56	x	x	x	x		x	x		x
-----	Other Sources**	87,196.88									


Total Estimated Emissions: 872,583 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-11. Acetaldehyde (ACETALDEHYDE, 75-07-0)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
-----	Construction equipment	3,519,562.27	x	x	x	x	x	x	x		x
-----	Farm equipment	2,772,354.48	x	x	x	x	x	x	x		x
-----	HDDV	2,724,983.34					x		x	x	
-----	HHDDV	1,991,586.38	x	x	x	x		x			x
-----	LDGT1	4,250,382.22	x	x	x	x	x	x		x	x
-----	LDGT2	2,377,015.89	x	x	x	x	x	x		x	x
-----	LDGV	8,148,347.14	x	x	x	x	x	x	x	x	x
-----	Other Sources**	12,703,912.87									


Total Estimated Emissions: 38,488,145 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-12. Acetamide (ACETAMIDE, 60-35-5)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
2821	Plastics materials and resins	5.00						x			
-----	Consumer solvent use	7.47	x	x	x	x		x	x		x


Total Estimated Emissions: 12 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-13. Acetonitrile (ACETONITRILE, 75-05-8)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
2833	Medicinals and botanicals	77,556.90		x			x				
2834	Pharmaceutical preparations	50,897.00	x	x	x		x	x			
2869	Industrial organic chemicals, nec	85,282.00	x								
-----	Other Sources**	52,344.14									


Total Estimated Emissions: 266,080 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-14. Acetophenone (ACETOPHENONE, 98-86-2)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
2869	Industrial organic chemicals, nec	3,605.84	x				x				
3069	Fabricated rubber products, nec	9,120.00		x							
3357	Nonferrous wiredrawing & insulating	21,720.00	x	x							
4911	Electric services	2,230.40	x	x	x	x					
-----	Other Sources**	7,550.35									


Total Estimated Emissions: 44,227 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-15. 2-Acetylaminofluorene (ACETYLAMIN,2, 53-96-3)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
4952	Sewerage systems	75.35									x
4953	Refuse systems	250.00						x			


Total Estimated Emissions: 325 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-16. Acrolein (ACROLEIN, 107-02-8)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
4581	Airports, flying fields, & services	387,189.01	x	x	x	x	x	x	x		x
-----	Structure fires	487,554.15	x	x	x	x	x				
-----	HDGV	291,615.77	x	x	x	x	x	x	x	x	x
-----	Lawn and garden equipment	294,703.23	x	x	x	x	x	x	x	x	x
-----	LDGT1	436,466.98	x	x	x	x	x	x		x	x
-----	LDGV	934,017.92	x	x	x	x	x	x	x	x	x
-----	Prescribed burning	588,689.41		x		x					
-----	Other Sources**	2,381,771.89									


Total Estimated Emissions: 5,802,008 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-17. Acrylamide (ACRYLAMIDE, 79-06-1)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
2672	Paper coated and laminated, nec	249.20				x					x
2821	Plastics materials and resins	1,342.00	x					x			
2841	Soap and other detergents	220.50							x		
2899	Chemical preparations, nec	1,749.20	x								
-----	Other Sources**	257.11									


Total Estimated Emissions: 3,818 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-18. Acrylic acid (ACRYLIC ACID, 79-10-7)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
2672	Paper coated and laminated, nec	12,807.24				x	x				
2821	Plastics materials and resins	16,177.15	x	x				x			x
3996	Hard surface floor coverings, nec	28,608.00	x								
-----	Other Sources**	3,981.01									


Total Estimated Emissions: 61,573 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-19. Acrylonitrile (ACRYLONITRIL, 107-13-1)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
2821	Plastics materials and resins	250,271.81	x	x			x	x	x		
4953	Refuse systems	94,421.19	x	x	x	x	x	x			x
-----	Other Sources**	41,592.16									


Total Estimated Emissions: 386,285 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-20. Allyl chloride (ALLYL CHLORI, 107-05-1)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
4952	Sewerage systems	200.32	x								x
-----	Other Sources**	12.00									


Total Estimated Emissions: 212 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-21. 4-Aminobiphenyl (AMINOBIPE,4, 92-67-1)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



Tires and inner tubes
100%

SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
3011	Tires and inner tubes	2.80					x				


Total Estimated Emissions: 3 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-22. Aniline (ANILINE, 62-53-3)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
2865	Cyclic crudes and intermediates	25,282.00					x	x			
2869	Industrial organic chemicals, nec	9,790.47	x				x	x	x		
-----	Other Sources**	1,529.59									


Total Estimated Emissions: 36,602 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-23. Anthracene (ANTHRACENE, 120-12-7)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
3312	Blast furnaces and steel mills	10,616.51	x	x	x	x	x	x	x		
-----	Prescribed burning	6,874.63				x					
-----	Residential wood combustion	63,033.31	x	x	x	x		x	x		x
-----	Other Sources**	23,134.67									


Total Estimated Emissions: 103,659 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-24. Antimony (and compounds) (ANTIMONY, 7440-36-0)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
2816	Inorganic pigments	4,440.84				x	x	x	x		
2821	Plastics materials and resins	10,636.31	x	x			x		x		
3624	Carbon and graphite products	14,626.66					x				
	Unspecified	4,194.91	x				x			x	
-----	Other Sources**	40,031.21									


Total Estimated Emissions: 73,930 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-25. Arsenic (and compounds) (ARSENIC, 7440-38-2)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
3339	Primary nonferrous metals, nec	125,974.00	x		x		x		x		
4911	Electric services	56,539.79	x	x	x	x	x	x	x		x
-----	Other Sources**	90,031.14									


Total Estimated Emissions: 272,545 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-26. Asbestos (ASBESTOS, 1332-21-4)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
3069	Fabricated rubber products, nec	700.00		x							
3714	Motor vehicle parts and accessories	592.00						x			
-----	Other Sources**	32.60									


Total Estimated Emissions: 1,325 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-27. Atrazine (ATRAZINE, 1912-24-9)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
-----	Pesticide application	7,757,417.70	x	x	x	x	x	x			x
-----	Other Sources**	786.00									


Total Estimated Emissions: 7,758,204 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-28. Benz(a)anthracene (BENZ(A)ANTHR, 56-55-3)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
3334	Primary aluminum	8,618.94		x							
-----	Prescribed burning	8,599.93		x		x					
-----	Residential wood combustion	75,686.02	x	x	x	x		x	x		x
-----	Other Sources**	26,623.29									


Total Estimated Emissions: 119,528 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-29. Benzo(g,h,i)perylene (BENZ(GHI)PE, 191-24-2)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
4911	Electric services	3,575.08	x	x	x	x					x
-----	Prescribed burning	6,984.63				x					
-----	Residential wood combustion	40,655.27	x	x	x	x		x	x		x
-----	Other Sources**	13,819.75									


Total Estimated Emissions: 65,035 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-30. Benzene (BENZENE, 71-43-2)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
-----	Lawn and garden equipment	11,751,140.97	x	x	x	x	x	x	x	x	x
-----	LDGT1	27,068,861.78	x	x	x	x	x	x		x	x
-----	LDGT2	13,734,265.88	x	x	x	x	x	x		x	x
-----	LDGV	59,815,066.21	x	x	x	x	x	x	x	x	x
-----	Recreational vehicles	12,607,521.42	x	x	x	x	x	x	x	x	x
-----	Other Sources**	66,280,598.98									


Total Estimated Emissions: 191,257,455 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-31. Benzidine (BENZIDINE, 92-87-5)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
3321	Gray and ductile iron foundries	696.00			x						
-----	Other Sources**	8.70									


Total Estimated Emissions: 705 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-32. Benzo(a)pyrene (BENZO(A)PYRE, 50-32-8)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
2911	Petroleum refining	5,100.00	x	x	x	x			x		
3312	Blast furnaces and steel mills	16,630.07	x	x	x	x			x		
-----	Residential wood combustion	23,341.09	x	x	x	x		x	x		x
-----	Other Sources**	12,978.39									


Total Estimated Emissions: 58,050 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-33. Benzo(b)fluoranthene (BENZO(B)FLUO, 205-99-2)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
3312	Blast furnaces and steel mills	5,160.55	x	x	x	x	x		x		
-----	Residential wood combustion	27,321.28	x	x	x	x		x	x		x
-----	Other Sources**	4,848.48									


Total Estimated Emissions: 37,330 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-34. Benzo(k)fluoranthene (BENZO(K)FLUO, 207-08-9)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
3312	Blast furnaces and steel mills	3,314.58	x	x	x	x			x		
-----	Prescribed burning	3,574.81				x					
-----	Residential wood combustion	8,554.99	x	x	x	x		x	x		x
-----	Other Sources**	5,642.63									


Total Estimated Emissions: 21,087 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-35. Benzotrichloride (BENZOTRICHLO, 98-07-7)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
2812	Alkalies and chlorine	1,643.00					x				
-----	Other Sources**	5.00									


Total Estimated Emissions: 1,648 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-36. Benzyl chloride (BENZYL CHLOR, 100-44-7)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
4911	Electric services	103,148.96	x	x	x	x					
-----	Other Sources**	3,926.72									


Total Estimated Emissions: 107,076 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-37. Beryllium (and compounds) (BERYLLIUM, 7440-41-7)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
3241	Cement, hydraulic	1,392.22	x	x	x		x				
3489	Ordnance and accessories, nec	3,348.85	x			x					
4911	Electric services	3,216.87	x	x	x	x		x			x
-----	Railroads	864.53	x	x	x	x		x			x
-----	Other Sources**	2,209.26									


Total Estimated Emissions: 11,032 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-38. Biphenyl (BIPHENYL, 92-52-4)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
2621	Paper mills	62,581.77		x	x		x				x
2631	Paperboard mills	9,357.56									x
2821	Plastics materials and resins	17,463.00		x				x	x		
2824	Organic fibers, noncellulosic	10,760.40							x		
-----	Residential wood combustion	32,554.36	x			x			x		x
-----	Other Sources**	13,774.72									


Total Estimated Emissions: 146,492 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-39. Bis(2-chloroethyl)ether (BIS(2-CLETH), 111-44-4)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



Refuse systems
100%

SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
4953	Refuse systems	116.30					x	x			


Total Estimated Emissions: 116 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-40. Bromoform (BROMOFORM, 75-25-2)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
4911	Electric services	5,798.47	x	x	x	x					
-----	Other Sources**	248.50									


Total Estimated Emissions: 6,047 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-41. Bromomethane (BROMOMETH, 74-83-9)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
-----	Consumer solvent use	10,032,258.22	x	x	x	x			x		
-----	Other Sources**	93,669.11									


Total Estimated Emissions: 10,125,927 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-42. 1,3-Butadiene (BUTADIENE,13, 106-99-0)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
5541	Gasoline service stations	7,577,754.14					x			x	
-----	Lawn and garden equipment	1,959,630.80	x	x	x	x	x	x	x	x	x
-----	LDGT1	3,157,796.29	x	x	x	x	x	x		x	x
-----	LDGT2	2,038,312.68	x	x	x	x	x	x		x	x
-----	LDGV	7,027,601.45	x	x	x	x	x	x	x	x	x
-----	Other Sources**	7,017,940.58									


Total Estimated Emissions: 28,779,036 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-43. Cadmium (and compounds) (CADMIUM, 7440-43-9)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
3339	Primary nonferrous metals, nec	16,873.80	x		x		x		x		
3341	Secondary nonferrous metals	7,137.07	x	x	x	x	x				x
3479	Metal coating and allied services	4,718.09	x	x	x	x					x
4911	Electric services	6,253.04	x	x	x	x	x				x
-----	Prescribed burning	14,491.72				x					
	Unspecified	10,135.43	x				x			x	
-----	Other Sources**	25,007.64									


Total Estimated Emissions: 84,617 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-44. Captan (CAPTAN, 133-06-2)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
2879	Agricultural chemicals, nec	775.00						x			
-----	Other Sources**	16.20									


Total Estimated Emissions: 791 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-45. Carbaryl (CARBARYL, 63-25-2)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
2875	Fertilizers, mixing only	250.00						x			
-----	Other Sources**	5.00									


Total Estimated Emissions: 255 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-46. Carbon disulfide (CARBON DISUL, 75-15-0)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
2821	Plastics materials and resins	881,860.40		x			x				x
3089	Plastics products, nec	4,966,789.60	x					x			
-----	Other Sources**	381,323.06									


Total Estimated Emissions: 6,229,973 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.

**Figure 2-47. Carbon tetrachloride (CARBON TETRA, 56-23-5)
2001 Estimated Emissions* by Source Category for
Point, Area and Mobile Sources**



SIC	DESCRIPTION	EMISSIONS (LB)	IL	IN	MI	MN	NY	OH	ON	PA	WI
2812	Alkalies and chlorine	9,165.79					x				x
4952	Sewerage systems	53,397.47	x	x	x	x	x	x	x		x
	Unspecified	13,405.75	x				x			x	
-----	Other Sources**	21,298.69									

Total Estimated Emissions: 97,268 lbs.

* Each jurisdiction estimated emissions for those sources for which they had data available.

** Other Sources: Individually less than five percent of the total.

(X) Denotes jurisdictions that have contributed emissions data for this pollutant.