

**SWAT Peer Reviewed Publications (provided by Dr. Manuel R. Reyes)
Journal Publications and Book Chapters (Updated June 2, 2004)**

Allen, P.M., J.G. Arnold, and E. Jakubowski. 1999. Prediction of stream channel erosion potential. *Environmental and Engineering Geoscience* V(3):339-351.

Allen, P.M., J.G. Arnold, and E. Jakubowski. 1997. Design and testing of a simple submerged jet device for field determination of soil erodibility. *Environmental and Engineering Geoscience* III(4):579-584.

Allen, P.M., J.G. Arnold, and W. Skipworth. 2002. Assessment of bedrock channel erosion in urban watersheds. *J. of American Water Resources Association* 38(5):1477-1492.

Arnold, J.G., and P.M. Allen. 1999. Automated methods for estimating baseflow and groundwater recharge from stream flow records. *J. American Water Resources Association* 35(2):411-424 .

Arnold, J.G., and P.M. Allen. 1996. Estimating hydrologic budgets for three Illinois watersheds. *J. of Hydrology* 176(1996):57-77.

Arnold, J.G., and Allen, P.M. 1993. A comprehensive surface-ground water flow model. *J. of Hydrology* 142(1993):47-69.

Arnold, J.G., P.M. Allen, and D. Morgan. 2001. Hydrologic model for design of constructed wetlands. *Wetlands* 21(2):167-178.

Arnold, J.G., P.M. Allen, R.S. Muttiah, and G. Bernhardt. 1995. Automated base flow separation and recession analysis techniques. *Groundwater* 33(6): 1010--1018.

Arnold, J.G. and R. Srinivasan. 1998. A continuous catchment-scale erosion model. In *Modelling Soil Erosion by Water*, NATO ASI Series, Vol. I 55: 413-427. J. Boardman and D. Favis-Mortlock, eds. Springer-Verlag Berlin Heidelberg.

Arnold, J.G., R.S. Muttiah, R. Srinivasan, and P.M. Allen. 2000. Regional estimation of base flow and groundwater recharge in the upper Mississippi basin. *J. of Hydrology* 227(2000):21-40.

Arnold, J. G., R. Srinivasan, and B.A. Engel. 1994. Flexible watershed configurations for simulation models. American Institute of Hydrology. *Hydrological Science and Technology* 30(1-4):5-14.

Arnold, J.G., R. Srinivasan, R.S. Muttiah, P.M. Allen and C. Walker. 1999. Continental scale simulation of the hydrologic balance. *J. American Water Resources Association* 35(5):1037-1052.

Arnold, J.G., R. Srinivasan, R.S. Muttiah, and J.R. Williams. 1998. Large area hydrologic modeling and assessment part I: model development. *J. American Water Resources Association* 34(1):73-89.

Arnold, J.G., R. Srinivasan, T.S. Ramanarayanan, and M. Diluzio. 1999. Water resources of the Texas gulf basin. *Water Science and Technology* (39)3:121-133.

Arnold, J.G., J.R. Williams, and D.A. Maidment. 1995. A continuous time water and sediment routing model for large basins. *J. Hydraulics Div., ASCE* 121(2): 171--183.

Bingner, R. L. 1996. Runoff Simulated from Goodwin Creek Watershed Using SWAT. *Trans. ASAE* 39(1): 85-90.

Bingner, R.L., J. Garbrecht, J.G. Arnold, and R. Srinivasan. 1997. Effect of watershed subdivision on simulated runoff and fine sediment yield. *Trans. ASAE* 40(5):1329-1335.

Chanasyk, D.S., E. Mapfumo, and W. Willms. 2003. Quantification and simulation of surface runoff from fescue grassland watersheds. *Agricultural Water Management* 59 (2003): 137-153.

Cruise, J.F., A.S. Limaye, and N. Al-Abed. 1999. Assessment of impacts of climate change on water quality in the Southeastern United States. *J. of American Water Resources Association* 35(6):1539-1550.

DiLuzio, M., R. Srinivasan, and J.G. Arnold. 2002. Integration of watershed tools and SWAT model into BASINS. *J. of American Water Resources Association* 38(4):1127-1141.

Eckhardt, K. and J.G. Arnold. 2001. Automatic calibration of a distributed catchment model. *J. of Hydrology* (251)1-2 (2001):103-109.

Eckhardt, K., L. Breuer, and H.-G. Frede. 2003. Parameter uncertainty and the significance of simulated land use change effects. *J. of Hydrology* 273(2003): 164-176.

Eckhardt, K., S. Haverkamp, N. Fohrer, and H.-G. Frede. 2002. SWAT-G, a version of SWAT99.2 modified for application to low mountain range catchments. *Physics and Chemistry of the Earth* 27 (2002): 641-644.

Engel, B.A., R. Srinivasan, J.G. Arnold, C. Rewerts, and S.J. Brown. 1993. Nonpoint Source (NPS) Pollution Modeling Using Models Integrated with Geographic Information Systems (GIS). *Water Science Technology* 28(3-5):685-690.

FitzHugh, T. W., and D.S. Mackay. 2000. Impacts of input parameter spatial aggregation on an agricultural nonpoint source pollution model. *Journal of Hydrology* 236:35-53.

- Fohrer, N., K. Eckhardt, S. Haverkamp, and H.-G. Frede. 1999. Effects of land use changes on the water balance of a rural watershed in a peripheral region. *Z. f. Kulturtechnik und Landentwicklung* 40:1-5.
- Fohrer, N., K. Eckhardt, S. Haverkamp and H.-G. Frede H-G, 1999. Effects of land use change on the water balance of a rural watershed in a peripheral region (in German). *Zeitschrift für Kulturtechnik und Landentwicklung*, 40: 202-206.
- Fohrer, N., K. Eckhardt, S. Haverkamp and H.-G. Frede. 2001. Applying the SWAT model as decision supporting tool for land use concepts in peripheral regions in Germany. In: Stott DE, Mohtar RH, Steinhardt GC (eds), *Sustaining the Global Farm - Selected papers from the 10th International Soil Conservation Organization Meeting, May 24-29, 1999*, West Lafayette: 994-999.
- Fohrer, N., S. Haverkamp, K. Eckhardt, and H.-G. Frede. 2001. Hydrologic response to land use changes on the catchment scale. *Phys. Chem. Earth (B)*, 26(7-8): 577-582.
- Fohrer, N., D. Möller, and N. Steiner. 2002. An interdisciplinary modelling approach to evaluate the effects of land use change. *Phys. Chem. Earth* 27 (2002): 655-662.
- Fontaine, T.A., T.S. Cruickshank, J.G. Arnold and R.H. Hotchkiss. 2002. Development of a snowfall-snowmelt routine for mountainous terrain for the soil water assessment tool (SWAT), *Journal of Hydrology* 262 (1-4):209-223.
- Fontaine, T.A., J.F. Klassen, T.S. Cruickshank, and R.H. Hotchkiss. 2001. Hydrological response to climate change in the Black Hills of South Dakota, USA. *Hydrological Sciences Journal* 46(1):27-40.
- Frede, H.-G., M. Bach, N. Fohrer, and L. Breuer. 2002. Interdisciplinary modeling and the significance of soil functions. *Journal of Plant Nutrition and Soil Science-Zeitschrift für Pflanzenernährung und Bodenkunde*, 165 (4): 460-467.
- Haberlandt, U., B. Klocking, V. Krysanova, and A. Becker. 2002. Regionalisation of the base flow index from dynamically simulated flow components---a case study in the Elbe River Basin. *Journal of Hydrology* 248:35-53.
- Haberlandt, U., V. Krysanova, B. Klocking, and A. Becker. 2001. Development of a metamodel for large-scale assessment of water and nutrient fluxes—first components and initial tests for the Elbe River basin. Proceedings of a symposium held during the *Sixth IAHS Scientific Assembly at Maastricht*, The Netherlands, July 2001. IAHS Publ. No. 268.
- Hanratty, M.P. and H.G. Stefan. 1998. Simulating climate change effects in a Minnesota agricultural watershed. *J. Environ. Qual.* 27:1524-1532.
- Harmel, R. D., C.W. Richardson, and K.W. King. 2000. Hydrologic response of a small watershed model to generated precipitation. *Trans. ASAE* 43(6):1483-1488.

- Haverkamp, S., R. Srinivasan, H.-G. Frede and C. Santhi. 2002. Subwatershed spatial analysis tool: discretization of a distributed hydrologic model by statistical criteria. *Journal of the American Water Resources Association* 38 (6): 1723-1733.
- Hernandez, M., S.C. Miller, D.C. Goodrich, B.F. Goff, W.G. Kepner, C.M. Edmonds, and K.B. Jones. 2000. Modeling runoff response to land cover and rainfall spatial variability in semi-arid watersheds. *Environmental Monitoring and Assessment* 64: 285-298.
- Hotchkiss, R.H., S.F. Jorgensen, M.C. Stone, and T.A. Fontaine. 2000. Regulated river modeling for climate change impact assessment: The Missouri River. *Journal of the American Water Resources Association* 36(2):375-386.
- King, K.W., J.G. Arnold, and R.L. Bingner. 1999. Comparison of Green-Ampt and curve number methods on Goodwin creek watershed using SWAT. *Trans. ASAE* 42(4):919-925.
- Kirsh, K., A. Kirsh, and J.G. Arnold. 2002. Predicting sediment and phosphorus loads in the Rock River Basin using SWAT. *Trans. ASAE* 45(6):1757-1769.
- Krysanova, V., A. Bronstert, D.-I.Müller-Wohlfeil. 1999. Modelling river discharge for large drainage basins: from lumped to distributed approach. *Hydrological Sciences-Journal-des Sciences Hydrologiques* 44(2): 313-331.
- Krysanova, V., D.-I.Müller-Wohlfeil, and A. Becker. 1998. Development and test of a spatially distributed hydrological/water quality model for mesoscale watersheds. *Ecological Modelling* 106 (1998): 261-289.
- Lasch, P., M. Lindner, B. Ebert, M. Flechsig, F.-W. Grestengarbe, F. Suckow, and P.C. Werner. 1999. Regional impact analysis of climate change on natural and managed forests in the Federal State of Brandenburg, Germany. *Environmental Modeling and Assessment* 4:273-286.
- Lemberg, B., J.W. Mjelde, J.R. Conner, R.C. Griffin, W.D. Rosenthal, and J.W. Stuth. 2002. An interdisciplinary approach to valuing water from brush control. *J. of American Water Resources Association* 38(2):409-422.
- Lenhart, T., K. Eckhardt, N. Fohrer and H.-G. Frede. 2002. Comparison of two different approaches of sensitivity analysis. *Physics and Chemistry of the Earth*, 27 (2002): 645-654.
- Manguerra, H.B., and B.A. Engel. 1998. Hydrologic parameterization of watersheds for runoff prediction using SWAT. *J. of the American Water Resources Association* 34(5):1149-1162.
- Miller, S. N., W.G. Kepner, M.H. Mehaffey, M. Hernandez, R.C. Miller, D.C. Goodrich, K.K. Devonald, D.T. Heggem, and W.P. Miller . 2002. Integrating landscape assessment and

hydrologic modeling for land cover change analysis. *J. of American Water Resources Association* 38(4):915-929.

Möller, D., N. Fohrer, and N. Steiner. 2002. Quantification of landscape multifunctionality in agriculture and forestry. *Berichte Über Landwirtschaft*, 80 (3): 393-418.

Perkins, S.P. and M. Sophocleous. 1999. Development of a comprehensive watershed model applied to study stream yield under drought conditions. *Groundwater* 37(3): 418-426.

Peterson, J.R. and J.M. Hamlet. 1998. Hydrologic calibration of the SWAT model in a watershed containing fragipan soils. *J. of American Water Resources Association* 34(3): 531-544.

Prato, T., and S. Hajkowicz. 1999. Selection and sustainability of land and water resource management systems. *J. of American Water Resources Association* 35(4):739-752.

Qiu, Z., and T. Prato. 2001. Physical determinants of economic value of riparian buffers in an agricultural watershed. *J. of American Water Resources Association* 37(2):295-303.

Qiu, Z., and T. Prato. 1998. Economic evaluation of riparian buffers in an agricultural watershed. *J. of American Water Resources Association* 34(4):877-890.

Ritschard, R. L., J.F. Cruise, and L.U. Hatch. 1999. Spatial and temporal analysis of agricultural water requirements in the Gulf Coast of the United States. *J. of American Water Resources Association* 35(6):1585-1596.

Rosenberg, N.J., D.L. Epstein, D. Wang, L. Vail, R. Srinivasan, and J.G. Arnold. 1999. Possible impacts of global warming on the hydrology of the Ogallala aquifer region. *Climatic Change* 42(4):677-692.

Rosenthal, W.D., and D.W. Hoffman. 1999. Hydrologic modeling/GIS as an aid in locating monitoring sites. *Trans. ASAE* 42(6):1591-1598.

Rosenthal, W.D., R. Srinivasan, and J.G. Arnold. 1995. Alternative river management using a linked GIS-hydrology model. *Trans. ASAE* 38(3):783-790.

Saleh, A., J.G. Arnold, P.W. Gassman, L.W. Hauck, W.D. Rosenthal, J.R. Williams, and A.M.S. McFarland. 2000. Application of SWAT for the upper north Bosque watershed. *Trans. ASAE* 43(5):1077-1087.

Santhi, C., J.G. Arnold, J.R. Williams, W.A. Dugas, and L. Hauck. 2001. Validation of the SWAT model on a large river basin with point and nonpoint sources. *J. of American Water Resources Association* 37(5):1169-1188.

Santhi, C., J.G. Arnold, J.R. Williams, W.A. Dugas, and L. Hauck. 2002. Application of a watershed model to evaluate management effects on point and nonpoint source pollution. *Trans. ASAE* 44(6):1559-1570.

Sophocleous, M.A., J.K. Koelliker, R.S. Govindaraju, T. Birdie, S.R. Ramireddygar, and S.P. Perkins. 1999. Integrated numerical modeling for basin-wide water management: The case of the Rattlesnake Creek basin in south-central Kansas. *Journal of Hydrology* 214:179-196.

Spruill, C.A., S.R. Workman, and J.L. Taraba. 2000. Simulation of daily and monthly stream discharge from small watersheds using the SWAT model. *Trans. ASAE* 43(6):1431-1439.

Srinivasan, R. and J.G. Arnold. 1994. Integration of a basin-scale water quality model with GIS. *Water Resources Bulletin* (30)3:453-462.

Srinivasan, R.S., J.G. Arnold, and C.A. Jones. 1998. Hydrologic modeling of the United States with the soil and water assessment tool. *Water Resources Development* 14(3):315-325.

Srinivasan, R., J.G. Arnold, and R.S. Muttiah. 1995. Plant and hydrologic simulation at the continental scale using SWAT and GIS. *AIH Hydrologic Science and Technology* 11(1-4):160-168.

Srinivasan, R., T.S. Ramanarayanan, J.G. Arnold, and S.T. Bednarz.. 1998. Large area hydrologic modeling and assessment part II: model application. *J. American Water Resources Association* 34(1):91-101.

Stone, M.C., R.C. Hotchkiss, and L.O. Mearns. 2003. Water yield responses to high and low spatial resolution climate change scenarios in the Missouri River Basin. *Geophys. Res. Lett.*, 30(4):1186,doi:10.1029/2220GLO16122.

Stone, M.C., R.H. Hotchkiss, C.M. Hubbard, T.A. Fontaine, L.O. Mearns, and J.G. Arnold. 2001. Impacts of climate change on Missouri river basin water yield. *J. of American Water Resources Association* 37(5):1119-1130.

Stonefelt, M. D., T.A. Fontaine, and R.H. Hotchkiss. 2000. Impacts of climate change on water yield in the upper wind river basin. *J. of American Water Resources Association* 36(2):321-336.

Thomson, A.M., R.A. Brown, N.J. Rosenberg, R.C. Izaurralde, D.M. Legler, and R. Srinivasan. 2003. Simulated impacts of El Nino/southern oscillation on United States water resources. *J. of American Water Resources Association* 39(1):137-148.

Tripathi, M.P., R.K. Panda, and N.S. Raghuwanshi. 2003. Identification and Prioritisation of Critical Sub-watersheds for Soil Conservation Management using the SWAT Model. *Biosystems Engineering* (2003) 85(3):365-379, doi:10.1016/S1537-5110(03)00066-7.

Vandenbergh, V., A. van Griensven and W. Bauwens. 2002. Detection of the most optimal measuring points for water quality variables: application to the river water quality model of the river Dender in ESWAT, *Water Science and Technol.*, 46(3), 1-7.

Vandenbergh V., A. van Griensven and W. Bauwens. 2001. Sensitivity analysis and calibration of the parameters of ESWAT: Application to the river Dender. *Water Science and Technol.*, 43(7), 295-301.

van Griensven, A., and W. Bauwens. 2003. Multiobjective autocalibration for semidistributed water quality models, *Water Resour. Res.*, 39(12), 1348, doi:10.1029/2003WR002284, 2003.

van Griensven, A., and W. Brauwens. 2001. Integral water quality modeling of catchments. *Water Science and Technology* 43(7):321-328.

van Griensven A., A. Francos and W. Bauwens. 2002. Sensitivity analysis and auto-calibration of an integral dynamic model for river water quality, *Water Science and Technol.*, 45(5), 321-328.

Van Liew, M.W. and J. Garbrecht. 2003. Hydrologic simulation of the Little Washita River experimental watershed using SWAT. *J. of American Water Resources Association* 39(2):413-426.

Wauchope, R.D., L.R. Ahuja, J.G. Arnold, R. Bingner, R. Lowrance, M.T. Van Genuchten, and L.D. Adams. 2002. Software for pest management science: computer models and databases for the U.S. Department of Agriculture – Agricultural Research Service. *Pest Management Science* 59(6-7):691-698.

Weber, A., N. Fohrer and D. Moller. 2001. Long-term land use changes in a mesocale watershed due to socio-economic factors – effects on landscape structures and functions. *Ecological Modelling* 140:125-140.

Whittaker, G., R. Fare, R. Srinivasan, and D.W. Scott. 2003. Spatial evaluation of alternative nonpoint nutrient regulatory instruments. *Water Resources Research* 39(4).

Wollmuth, J.C. and J. W. Eheart. 2000. Surface water withdrawal allocation and trading systems for traditionally riparian areas. *J. American Water Resources Association* 36(2):293-303.